



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m²)	NUMBER OF SPACES	TOTAL NET AREA (m²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	-------------------------------	------------------	---------------------	------------------------	----------	----------

EVENT / SPECTATORS' SERVICES

Spectator Seating

Spectator Seating - Olympic Games	20000	Varies	Varies	Varies	Seating area from which to view the FOP.		FOH
Spectator Seating - World Championship	15000	Varies	Varies	Varies			
Sponsor Seating		Varies	Varies	Varies	Seating area from which to view the FOP.	Located in non-accredited seating areas.	

Concourses

Concourse	Varies				Provides spectator access to lower and upper tier and all wheelchair viewing areas. Minimum density 0.35m2/spectator. Under seating bowl		FOH
-----------	--------	--	--	--	--	--	-----

Sanitary Provision

Spectator Toilets - Olympic Games	12000	0,07		850 m2 275 linear metres	Multiple toilet blocks for male and female. Provision to be distributed internally and externally, based on net ticketed capacity. Approximately 0.07 m2/person and 3m depth.		FOH
Spectator Toilets - World Championship	9000	0,07		630 m2 210 linear metres			
MIP (Mobility Impaired Person) Toilets	-	3,6			Provide 1 unisex WC per 15 wheelchair users		
Baby changing room		4	2	8			

Spectators' Services

Public Information	-	-	-	100	An information desk available to spectators for Olympic event information; open throughout the event to service spectator queries or concerns.	Adjacent to and accessible prior to entering the seating areas.	FOH
Information Desk	-	-	-	-			
Lost and Found	-	-	-	-	A holding area for items found in the venue.		
Assisted Listening Device Rental	-	-	-	-	An area where listening devices are provided to spectators.		
Wheelchair Storage	-	12	1	12	An area to store wheelchairs.	Adjacent to Public Information.	
Ticket Rip	-	3	Varies	Varies	An area after the security screening point where, on entry to the venue, the ticket is ripped. 50m² per 1000 people = 50,000m²	Inside venue perimeter, after spectator entry point.	
Stroller Storage	-	-	Varies	72	An area designated for the temporary storage of children's strollers.		
Water Station(s)	-		4		A distribution point of drinking water in accordance with local health code standards. Each station has five drinking points	Located in concourse and away from concession area as not to interfere with concession operations.	

Medical

Spectator Medical	-	-	-	90	An area where Medical provides related services to the primary constituent group, spectators, but also provides services to all other constituents at the venue. Enclosed air-conditioned space. 1 per 20,000 spectators.	Located in the Front of House area; in close proximity to spectator seating areas.	FOH
Reception & Waiting	-	12	1	12	Area where spectators check-in and wait prior to examination.		
Medical Work Space & Secure Storage	-	15	1	15	Space for Medical workforce. Enclosed space and secure storage.		
Examination Area(s)	-	15	4	60	Area where medical examinations occur. Examination tables with privacy screening.		
Toilets	-	1,5	2	3	Toilet units designated for spectators and medical personnel.		
Triage Station	-	50	1	50	Additional space to treat minor medical needs of spectators. Covered space. May be used to supplement Spectator Medical Reception function.	Located in the Front of House.	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
-----------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

Concourses

External Concourse - Olympic Games	6000	0,70		4200	Provides access around venue FOH with access to upper levels of venue. 0.7m ² per person for 50% of net ticketed capacity.		FOH
External Concourse - World Championship	4500	0,70		3150	Provides access around venue FOH with access to upper levels of venue. 0.7m ² per person for 50% of net ticketed capacity.		

Toilet Provision

Spectator Toilets							FOH
MIP (Mobility Impaired Person) WC	-	3,6			Provide 1 unisex WC per 15 wheelchair users		
Baby changing room		4	2	8			

Concessions

Office, Cash Room & Work Area	-	12	1	12	An area to manage the retailing of all Olympic merchandise inside the venue.	Located in external concourse	FOH
Storage	-	15	3	45		Located in external concourse	
Program Sales Stands/Booths	-	1	1	1		Located in external concourse	
Merchandise Points of Sale (POS)	-	6	Varies	Varies	Concessionaire units. 1 P.O.S. per 800 spectators.	Located in Event Services areas; adjacent to seating areas. Located in external concourse	
Food and Beverage Spectator Points of Sale (P.O.S) - Olympic Games	12000	5 ml per 1000 spectators	Varies	60 linear metres 300 m ²	Concessionaire units 1 P.O.S. per 400 spectators. Recommended concession counter length based on min. 5m/1000 spectators, 5m depth.	Located in external concourse	
Food and Beverage Spectator Points of Sale (P.O.S) - World Championship	9000	5 ml per 1000 spectators	Varies	45 linear metres 225 m ²			

Event Services Operations

Event Services Manager Desk	-	6	1	6	Work space for Event Services Manager.	In Venue Operations Centre (VOC) or other BOH/Operational area.	BOH
					Enclosed space.		
Sector Coordinator Staging/Work Area	-	24	1	24	Space for staging and a work area.		
Equipment Storage and Distribution	-	20	1	20	Area for storage and distribution of equipment.		
Briefing Area	-	Varies	Varies	Varies	Area for briefing of staff pre and post shift.	Generally located in spectator seating areas or see Multi-purpose Room under Venue Management.	
					Seating area (outside or inside) necessary for a large group.		



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

FIELD OF PLAY AND WARM-UP

Competition - Olympics and World Championships							
Swimming Pool	-	-	-	-	Reference should be made to FINA guidelines.		BOH
Playing Surface Dimensions	-	50x25		1250			
Total Required Area Dimension	-	70x45		3150	FOP= 70 x 45 m. deck of the pool = 10.0 m. width, on 4 sides of the pool. Medal Ceremonies included in 11.0 m. width.		
Diving Pool	-	-	-	-	Reference should be made to FINA guidelines.		
Playing Surface Dimensions	-	25x20		500			
Total Required Area Dimension	-	45x40		1800	FOP= 45 x 40 m. deck of the pool = 10.0 m. width, on 4 sides of the pool.		
Water Polo Pool	-	-	-	-	Reference should be made to FINA guidelines.		
Playing Surface Dimensions - Men	-	30x20		600			
Playing Surface Dimensions - Women		25x20		500			
Pool Dimensions		34x25		850			
Total Required Area Dimension	-	54x45		2430	FOP= 54 x 45 m. deck of the pool = 10.0 m. width, on 4 sides of the pool.		
Synchronised Swimming Pool	-	-	-	-	Reference should be made to FINA guidelines.		
Playing Surface Dimensions	-	30x20		600			
Total Required Area Dimension	-	50x40		2000	FOP= 50 x 40 m. deck of the pool = 10.0 m. width, on 4 sides of the pool.		
Camera Positions - Biomechanics					Area for cameras.	Located on the deck of the pool.	

Field of Play Equipment							
FOP Equipment Storage		Varies	Varies	500	Storage of equipment required for competition. The total area can be evenly distributed in spaces surrounding the FOP.	Located around FOP.	BOH
FOP Maintenance Equipment Storage	-	30	1	30	Located adjacent to FOP or within close proximity.		

Medal Ceremonies							
Ceremonies Presentation Area	-	150	1	150	The area for the staging of Victory Ceremonies of all Olympic finals in accordance with the competition schedule. 25 m. x 6 m. Located within the FOP. On the deck of the pool. Assumes area only. Location should be visible from the seating areas and from the Sport Production control room.	Located adjacent to or on the FOP.	BOH
Victory Ceremony Flag Poles	-	32	1	32	Area for flag poles or a suspended structure for holding and raising flags. 3 - 9m high poles with 2m spacing or suspended from ceiling structure.	Adjacent to FOP.	

Warm-Up Swimming Pool - Olympics and World Championships							
Warm-Up Pool					Reference should be made to FINA guidelines.		BOH
Playing Surface Dimensions		50x25		1250			
Total Required Area Dimension		60x35		2100	FOP= 60 x 35 m. deck of the pool = 5.0 m. width, on 4 sides of the pool.		
Team Preparation Area			1	600	An area for each Team, which is located around Warm Up pool for massage and preparation for competition. Separate facilities from athlete change-room area.	Located around Warm-up Pool	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

SPORT

Athletes Areas					Total number of athletes = 800		
Player Welcome Area	-	100	1	100		Located in the Athlete area with easy access to FOP and back of house areas.	BOH
Athlete Lounge	-	600	1	600	An area where athletes can relax at the venue while not training or competing. Natural light required.	Located in Athlete Area.	
Athlete / Team Seating	-	-	-	-	A designated seating area for athletes.		
Same Sport		-	Varies	-	Located in accredited area with access via BOH.		
Different Sport		-	Varies	-	Located in ticketed area with access via FOH.		
Athlete Dressing, Locker, Shower, Toilet	-	500	2	1000	Change-room facilities to accommodate athletes at the venue during competition and training.	Located in Athlete Area.	
Gym Area		100-400	Varies	400	An area where athletes can perform strength training. Enclosed space.	Located in Athlete Area.	
Diving Dry Land	-	400	1	400		Located in Athlete Area.	
Athlete Call Room 1	-	200	1	200	First Call Room = 200 m ² (40 athletes). Area composed of a check-in room and waiting room. Open area for exercise or warm-ups.	Adjacent to FOP.	
Athlete Call Room 2	-	100	1	100	Final Call Room= 100 m ² (16 athletes). Includes an accessible toilet. Area composed of a final call room.	Adjacent to FOP.	
Toilets - Athlete Area	-	1,5	4	Varies	Toilet units designated for athletes. Accessible toilet unit designated for athletes.	At training and warm up pools.	
Toilets - Near FOP	-	1,5	2	Varies	Toilet units designated for athletes. Accessible toilet unit designated for athletes. Required if FOP is not located near Athlete Area.	Close to FOP Entry.	

Classification Area							
Classification Evaluation Room	-	20	3	60	Closed room where the actual evaluation of Athletes takes place	Within (or close) to athlete preparation areas	BOH
Classifiers Meeting Room	-	30	1	30	Area for classifiers to conduct meetings. Easy access to a photocopier.	Proximity to Evaluation Rooms	
Classification Administration Area	-	20	1	20	Area for preparation and processing of classification evaluation, prior competition	Next or very close to classifiers meeting & resting room or to competition management	
Classification Waiting Area	-	-	1	-	Area immediately next to administration and/or evaluation areas, for athletes & team officials waiting for evaluation		
Classification Protest Desk	-	-	1	-	Area where possible classification related protests may be lodged	Part of or very close to Sport Information Desk	
Classifiers Viewing Area		-	8	-	Area with optimum viewing conditions, from where a panel of classifiers can observe training and/or competition.	In height of the centre of the pool, with unobstructed view or in a booth in the stand	

Technical Officials Area							
Lounge - International Technical Officials	-	150	1	150	A rest area for officials. 150 m ² suitable for 100 people approximately. Area includes toilets and Pantry Two separated rooms for 50 men and 50 women. Enclosed space.	Located in close proximity to FOP and IF area.	BOH
Officials Locker Room, Shower, Toilet		100	1	100	A change area for officials. 2 Rooms (Men Dressing room and Women Dressing room) x 50 m ² Enclosed area with lockers, showers and toilets to accommodate 50 men and 50 women adjoining the pool.	Close proximity to FOP.	
Technical Delegates Office & Work Area	-	15	4	60	Office area for Technical Delegates. Enclosed space for each discipline.	Located at pool deck level	
Technical Officials Meeting Room		20	1	20	Area for use from Technical Officials	Close to TOs lounge	
IF & Sport Meeting Room	-	60	1	60	Meeting facility at the venue for the International Federation and Competition Management. Enclosed space.	Located in close proximity to the IF Area and Competition Management area.	
IF Stands and Judges/Officials Seating	-	-	50	-	A designated seating area for IF Officials. See capacity table for figures.	Located in accredited seating area.	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m²)	NUMBER OF SPACES	TOTAL NET AREA (m²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	-------------------------------	------------------	---------------------	------------------------	----------	----------

FINA							
FINA Area	-	-	-	120	Responsible for administering the respective sport competition, including: enforcement of the rules/regulations, operation and technical control of the overall competition. FINA Bureau is composed by 30 people approximately	Located preferable at pool deck level.	BOH
FINA President's Office	-	15	1	30			
FINA Secretary - General/Executive Director's Office	-	15	1	30			
Reception, Secretariat, Waiting & Work Area	-	40	1	60			
Honorary Secretary Office		20	1	20			
FINA Treasurer Office		15	1	15		Located within FINA Area; adjacent to FINA reception, Secretariat.	
FINA Press Office		15	1	15	This space is utilised for the resolution of protests and appeals after competition.		
Technical Committee Room		45	Varies	Varies	Meeting area for technical committee and judges. 1 Room required for each discipline: (Swimming, Diving, Water polo, Synchronised Swimming and Medical) x 45 m²; Total Technical Committee people= 15 people Enclosed space for each discipline.	Located at pool deck level	
Technical Commission Room		20	Varies	Varies	Meeting area for technical commission and judges. Total Technical Commission people= 4 people Enclosed space for each discipline.	Located at pool deck level	
FINA Bureau Meeting Room		200	1	200	Meeting area for Technical Officials and Judges. The TOs/Judges are members of FINA Bureau. FINA Bureau act as a Jury of Appeal, so it would only be necessary one room. Enclosed space.	Located at pool deck level	
Protest Room		-	-	-	Separate meeting area for protests. Enclosed room, attached to the TO/Judges meeting room.	Adjoining the TOs/Judges meeting room.	
FINA Lounge	-	-	-	700	An area that may serve food or beverages to appropriately accredited persons; where accredited access is limited to certain accredited dignitaries, FINA members, Olympic Family members, and invited guests. This area will be shared with Olympic Family Lounge / VIPs. Enclosed space.		
Welcome Desk and Transportation Desk	-	10	1	10	Area to greet FINA members, Olympic Family / VIPs and respond to transport requests.		
Protocol Manager Office	-	20	1	20	Work space for the Protocol Manager to meet requests from FINA members or VIPs / Olympic Family members. Enclosed space for meetings or resolution to diplomatic and/or other matters.		
Staff/Volunteer Room and Storage	-	20	1	20	On-call waiting area for Protocol staff and equipment storage.		
Dining and Lounge	-	450	1	450	Area for dining and lounge.		
Preparation/Buffer set-up/Beverage Area	-	200	1	200	An area to prepare and serve food/beverage. Generally, a kitchen facility/setup is not necessary as this may be centrally located with other food service functions (e.g. Staff/Volunteer, Athlete, Media).		
Sport Information	-	90	1	90	An area where competition information and services for the national Olympic Committees competing at the venue is available. Enclosed space with waiting area and seating.	Located near Athlete's Entrance.	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

Competition Management

Competition Management	-	-	-	120	A work area for Sport personnel to ensure the competition and training elements of the venue are prepared and operational according to the IF requirements of the sport. Enclosed space.	Located close to Athlete Area and FOP; may be co-located within the Venue Operations Centre.	BOH
Competition Manager & Asst. Manager Desks	-	12	1	12	An area for the Manager and Assistant(s) Manager.		
Assigned Work Area	-	24	1	24	Open plan of work stations designated for Sport personnel.		
Hot Desks	-	15	1	15	Shared work stations.		
Work Area	-	29	1	29	Non-designated work positions and equipment. Copier, Fax, Storage.		
Meeting Room	-	70	1	40	Area for meetings. See Venue Management - Multi - Purpose Room.		

Medical

FOP/Finish Area Medical	-	-	-	25	Area for immediate treatment of athletes throughout the competition. Enclosed space.		BOH
Toilets	-	1,5	2	3	Toilet units designated for medical personnel.		
Athlete Medical Centre	-	-	-	300	An area where Medical provides services to athletes competing at the venue. Medical Area is composed by 1 doctor for room. Enclosed air-conditioned space.	Located within the accredited Athlete Area.	
Reception & Waiting	-	20	1	20	Area where athletes check-in and wait prior to examination.		
Medical Work Space & Secure Storage	-	20	1	20	Work space for Medical Manager. Enclosed space and secure storage.		
Examination Area(s)	-	11	5	55	Area where medical examinations occur. Examination tables with privacy screening.		
Physiotherapy Area/Massage	-	100	2	200	Area where physiotherapy occurs. An area where athletes can receive massage between competition and training. Massage tables with privacy screening.		
Toilets	-	2,5	2	5	Toilet units designated for athletes and medical personnel.		

Doping Control

Doping Control Centre	-	-	-	140	An area where testing of a certain number of athlete urine samples is performed. A designated process of testing is carried out at the venue to ensure compliance of the current testing requirements. Doping Control Area is composed by 1 doctor for room. Enclosed air-conditioned space with secure entry.	Back of house location, in close proximity athlete areas and mixed zone. Located next to the FOP.	BOH
Waiting Area/Reception	-	36	1	36	Area where athletes check-in and wait prior to testing.		
Urine Processing Room(s)	-	12	Varies	Varies	Area where athlete urine samples are provided and sealed. Enclosed space. Secure storage.		
Blood Processing Room(s)	-	15	Varies	Varies	Area where athlete blood samples are provided and sealed. Enclosed space. Secure storage.		
Toilet(s) & Sink(s)	-	5	Varies	Varies	Toilet units designated for Doping Control only. Where athlete urinates under direct observation of Doping Control Officer. Wash basin for hand sanitisation. At least one fully accessible toilet to be provided. Toilet located in separate room from sink to avoid tampering with samples.		
Office / Storage	-	12	1	12	Work and storage space for Doping Manager. Enclosed space. Secure storage.		
Athlete Tagging	-	4	1	4	A waiting area where doping escorts identify athletes for Doping Control. Area only.	Located at/near FOP exit/finish area.	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

Sport Presentation

Sport Presentation Room	-	-	-	30	Area that produces all audiovisuals and entertainment for athletes and spectators present at the competition venue.		BOH
Sport Production Control Room	-	25	1	25	An area that is required for event day announcing and music production. Enclosed space with windows that open for hearing general audio on the FOP. The area interfaces with timing, results, scoreboard/video board and sound system control.	Located near timing and scoring with a good view of the FOP.	
Announcer Position	-	5	1	5			
Sport Entertainment Room	-	60	1	60	Space used by colour guard, mascot dressing, entertainers used for breaks in competition, between sessions, half time, etc. Staging for large groups. Enclosed space. Staff Work, Green Room, Entertainer Staging and Dressing and Prop Storage. See Venue Management - Multi - purpose Room.		

CEREMONY

Ceremonies

Ceremonies Waiting Area	-	25	1	25	Waiting area adjacent to FOP for Athletes, Olympic Games Family / VIPs	Located adjacent to or on the FOP. Location should be visible from the seating areas and from the Sport Production Room.	BOH
Ceremonies Staging	-	-	-	50	For the staging of Victory Ceremonies of all Olympic / World Championships finals in accordance with the competition schedule; to coordinate location of podium, procession, and recession route, and location of flagpoles. Consists of coordinator work space with area for anthem storage, secure storage, preparation and dressing area; see below for additional details.	Adjacent to or close to FOP.	
Manager Desk	-	6	1	6	Workspace for Manager.		
Anthem Storage	-	-	-	-	Storage for each nation's anthem. Stored in the Sport Production Control Room - see Sport Presentation. Secure storage required.		
Presenters, Medal/Flower staging, Secure medal and flag storage	-	36	1	36	Area for staging, secure storage for medals and flags on ceremonies day. Enclosed space. Secure storage.	In close proximity to FOP.	
Presenter Preparation and Dressing	-	4	2	8	A dressing and preparation area for Presenters. Pipe and drape/temporary walling adequate for privacy, 1 female 1 male.		
Mascot Dressing Room	-	10	1	10	A dressing and preparation area for Mascots. Limited use, may be shared with other space. See Sport Presentation.	Close to FOP.	
Awards Podium Storage	-	25	1	25	Storage for awards podium. Varies from sport to sport.	Adjacent to FOP.	

OLYMPIC FAMILY / VIPS

Olympic Family / VIPs Services

Olympic Family / VIPs Lounge		-	-	-	This area will be shared with FINA Lounge.		BOH
Toilets	-	80	1	80	Toilet units designated for FINA and Olympic Family. 6 female, 6 male, generally not shared with other constituent groups.	Located in close proximity to lounge area.	
Protocol flags	-	-	-	-	See Look of the Games.		



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	--	------------------	----------------------------------	------------------------	----------	----------

MEDIA

Press							
Venue Media Centre (VMC) - Olympic Games	-	-	-	1800	The VMC serves as a daily work area for accredited media covering the sports competition. The Work Room is equipped with much of the same equipment and services found at the MPC. Other VMC facilities in outdoor venues include Mixed Zone, Press Conference Room and Photo Positions.	Close proximity to Press Tribune, Press Conference, and Mixed Zone area and/or in adjacent building or structure, not more than a 200 metre distance	BOH
Venue Media Centre (VMC) - World Championship	-	-	-	1425			
Manager Desk	-	40	1	40	Welcome desk at the entrance, for information distribution.		
Storage	-	15	1	15	Equipment storage.		
Press Manager Office	-	20	1	20	Operational work space.		
Photo Manager Office	-	20	1	20	Operational work space.		
News Service Work Room or Area	-	60	1	60	Operational work space.		
					Enclosed space.		
Info Stations	-	45	1	45	Computer stations and printers.		
Press Work Room or Area - Olympic Games	-	1125	1	1125	Work area for press. Enclosed space. 1 work position per 60 cm x 90 cm table, 1 telephone per 3 positions, Wireless, task lighting. Space will include area for copy equipment set-up.		
Press Work Room or Area - World Championship	-	750	1	750	Same allocation of working space and amenities as in Olympic Games.		
Photo Work Room or Area	-	120	1	120	Work area for photographers.	Photo area can be within the press work area but close to Photo Manager's office. Alternatively, can be in adjacent space separate from press if extra space is required.	
					Enclosed space. 1 work position per 90 cm x 120 cm table, 1 telephone per 3 positions, Wireless, task lighting.		
Photographers Check-in & Photo Bib Distribution	-	25	1	25	Area where photographers register and receive/return photo bibs.		
Locker Area	-	52	1	52	Secure storage for photographer (and journalist) equipment.		
					Half-height lockers (Size: 40cm x 40cm x 70cm).		
Lounge/Catering Prep	-	260	1	260	Includes minor food preparation, pay counter, self-serve tables, vending machines and seating area.		
Toilets	-	1,5	12	18	Toilet units designated for the Venue Media Centre.		
Press Conference Room	-	-	-	360	An area for media to conduct formal interviews with athletes at the venue.	Generally located in close proximity to FOP/athlete areas for easy access by coaches/athletes/teams.	
					Enclosed space with consideration to outside noise levels. Broadcast level lighting, audio system and backdrop required.		
Seating Area	-	-	-	-	An area for accredited press. Seats and standing room.		
Dais	-	-	-	-	A platform from which interviews are conducted.		
					2.4 m x 6 m x 60 cm high platform with 1 stair. 3.6 m table, 8 chairs & step and repeat backdrop.		
Camera Platform	-	-	-	-	Area for broadcast camera positions.		
					Camera Positions, 1.8 m x 6 m x 60 cm high platform.		
Audio Amplifier Rack and Speaker stands	-	-	-	-	Area for amplifier rack and speakers.		
					See Technology for Amplifier Rack details.		
Backdrop - Press Conference Room	-	-	-	-	See Look for details.		
Simultaneous Interpretation Booth	-	5	3	15	A space where simultaneous interpretation services are set-up to meet the needs of Sport and Press. Requirement based on Sport and Press Conference needs.	Generally located in Press Conference rooms.	
Mixed Zone	-	55 linear mtrs.	1	55 linear mtrs.	An area where media conducts brief, informal interviews of the athletes at the end of the event. Area only. See also Broadcast requirements.	Located in Back of House adjacent to FOP, along athlete route from FOP to athlete area.	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

Press Tribune - Olympic Games	-	-	800	-	A section of the seating area dedicated to accredited journalists and photographers; both tabled and non-tabled positions. Tabled seating is fitted out with telephones, television monitors, power and other press facilities (indoor venues). For outdoor venues, these services will exist in VMC.		BOH
Press Tribune - World Championships	-	-	540	-	See Capacity Table for Figures.		
Press Tabletop Seating	-	Varies	Varies	Varies	In an existing stadium or seating area: 1 seat wide (folding chairs at 60 cm spacing) x 2 existing rows deep (1 row for the seat and 1 row for the table top built over the seats) 50 cm deep tabletop per position, each position = 2 stadium seats. Temporary Stands: 1 seat (folding chairs at 60 cm spacing) x 2 rows deep of proposed seating system (normally 150 cm-170 cm deep).	Easy access from Venue Media Centre and direct access if possible to Mixed Zone.	
Press Seating (non-tabled)	-	Varies	Varies	Varies	An area for accredited press. 1 existing seat = 1 position. Temporary stands: 1 seat per proposed seating system=1position.	Normal seating adjacent to tabletop seating.	
Toilets	-	Varies	Varies	Varies	Toilet units designated for press.		
Photographers Positions	-	1,5	Varies	Varies	Positions for photographers provided within the venue with view of FOP.		
Field of Play	-	Varies	Varies	Varies	Positions for photographers on/around the FOP. Total number of expected photographers at medal sessions: 220. Wide pool decks a big advantage for good photo coverage. Estimated max photographer numbers for water polo: 100. Tribunes on both sides of the pool deck – usually in tiers, either standing or seated. A limited number of pool photographers (6) work on the deck itself. 60cm wide x 90cm deep per position, multi-row areas require 60cm riser per row.	Located on pool deck area.	
Seating area(s)	-	Varies	Varies	Varies	Positions for photographers within seating area. See Capacity Table for Figures.	Extra photo positions located in the seating bowl.	
Lighting	-	-	-	-	See Broadcast for lighting specifications.		

Broadcast							
Commentator Control Room (CCR)	-	80	1	80	An area that serves as the main hub to the host broadcaster's commentator system; all commentator units monitored and controlled in this area. Enclosed space with incoming television cable.	Located in close proximity to commentator position area.	BOH
Broadcast Information Office (BIO)	-	25	1	25	Space for broadcast management and team meetings. Enclosed space.	Located near commentator positions and CCR	
Broadcast Graphics Support Room	-	25	1	25	An area where real-time results information is fed into specific broadcast equipment. Space for equipment and personnel to monitor real-time results feed.		
Pre & Post Competition Interview Area	-	9	1	9	An area for rightsholders to conduct stand-up interviews before and after competition. An area only; may require two areas if the FOP entry and FOP exit are not the same location.	Located near FOP entrance and exit.	
Mixed Zone	-	55 linear mtrs.	1	55 linear mtrs.	An area where broadcasters and accredited media have the opportunity to conduct flash interviews with the athletes as they exit the FOP. Gross area includes space required for Broadcast Positions, ENG Positions, Press/Radio & Photo Positions, Athlete and Media movement, Technical Storage Area and Cable paths.	Adjacent to the FOP.	
Commentator Position	-	4	Varies	Varies	An area for designated tabled positions for independent rights holding broadcasters. Each position = 2m x 2m (4m ²), this includes a working desk with 3 persons seated in chairs, plus	Located in seating areas with view to FOP	
Com-Cam Position (Commentator-Camera)	-	8	Varies	Varies	An area for designated tabled positions for independent rights holding broadcasters which includes space for a camera position. Each position = 2m wide x 4m deep (8m ²), this includes a working desk with 3 persons seated in chairs and a space behind for camera/on air interviews.	Located at the rear of the commentator grouping so as not to disrupt the FOP view of other commentator positions.	
Observer Seating	-	0,5	Varies	Varies	Viewing seats for broadcast personnel. 1 position = uses 1 seat in existing seating bowls.	Adjacent to Commentator positions.	
Camera Position - Field of Play	-	4	Varies	Varies	Areas within the FOP selected for broadcast camera positions. Each position = 2m x 2m, each camera location may have multiple positions.	Located within the FOP boundaries.	
Camera Position - Other	-	4	50	200	Areas around the FOP selected for broadcast camera positions. Each position = 2m x 2m, each camera location may have multiple positions.	Located outside the FOP boundaries.	
Radio Frequency (RF) Broadcast Tower	-	4	1	4	An area where a unit for transmitting broadcast camera signals to the broadcast compound is placed. Height varies depending on terrain, structure, etc. Unobstructed view to camera transmitter required for transmission.	May be located on roof of existing or temporary structures.	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	--	------------------	----------------------------------	------------------------	----------	----------

Cable Route(s)	-	-	-	-	A designated pathway(s) for the distribution of broadcast cabling. Generally may require conduit and/or cable ramps under roads, paths, etc.	Positioned along building or fence lines, underground conduits, or overhead structures.	BOH
Cable Bridge(s)	-	72	Varies	Varies	A structure for routing cable pathways over walking areas, roadways, or other obstacles. Over major pedestrian route or any vehicular route. Clear span generally 10m and clear height 5m.	Located in BOH areas; adjacent to the Broadcast Compound.	
Lighting	-	-	-	-	Lighting level required to properly film and photograph the FOP. Not less than 1400 lux averaged in the same venue (measured on a vertical scale for still photography).		
Broadcast Compound	-	-	-	8000	An area for mobile units for both the Host Broadcaster and Rightsholding Broadcasters, along with other operational services and technical needs required for broadcast at the venue. Area only. Level surface area paved or gravel with heavy duty load capacity. Secure access for entry and exit into the compound area.	Located inside the venue, as close as possible to the Competition facility or tribune areas and FOP areas for easy access.	
Broadcast Management Office	-	60	1	60	Space for the broadcast management and administrative team.	Located near entrance to compound.	
Broadcast Manager Office	-	12	1	12			
Work Room, Assigned and Unassigned Desks	-	48	1	48			
Technical Operations Centre	-	60	1	60	An area where the final point of signal quality control takes place before transmission from the venue; acts as the interface point for all multilateral and unilateral audio/video signals.	Located inside Broadcast compound.	
Broadcast Catering	-	175	1	175	Dining and break area for broadcast personnel.	Located inside Broadcast compound.	
Kitchen and Prep	-	25	1	25			
Buffet Line and Dining	-	150	1	150			
Host Broadcaster Area	-	85	Varies	Varies	Area of broadcast compound designated for the primary broadcast entity.	Located inside Broadcast compound.	
Work Area(s)	-	20	Varies	Varies	Enclosed space.		
Mobile Unit(s)	-	65	Varies	Varies			
Unilateral Broadcaster Area	-	85	Varies	Varies	Area of broadcast compound designated for independent rights holding broadcasters.	Located inside Broadcast compound.	
Work Area(s)	-	20	Varies	Varies	Enclosed space.		
Mobile Unit(s)	-	65	Varies	Varies			
Toilets	-	1,5	12	18	Toilet units designated for broadcast personnel.	Located inside Broadcast compound.	
Broadcast Compound Power Supplies	-	As below	As below	As below	Generators & switchgear supporting all broadcast technical spaces and other areas as specified by Host Broadcaster.	Located inside Broadcast compound; easy access for refueling trucks.	
House power HV switchroom		25	1	25	Supplies broadcast house power		
House power HV transformer room		25	1	25	Supplies broadcast house power		
Technical power HV switchroom		25	1	25	Supplies broadcast technical power		
Technical power HV transformer room		25	1	25	Supplies broadcast technical power		
House power LV switchroom		50	1	50	Supplies broadcast house power		
Technical power LV switchroom		50	1	50	Supplies broadcast technical power		
UPS room		12	2	24	Supplies broadcast technical power		
House standby power containerised generator		60	1	60	Supplies broadcast house standby power		
House standby power generator fuel tank		9	1	9	Supplies house standby power. Based on cylindrical tank. 10000L		
Technical standby power containerised generator		60	2	120	Supplies broadcast technical dual standby power		
Technical standby power generator fuel tank		9	2	18	Supplies broadcast technical dual standby power		
Technical standby power HV switchroom		40	1	40	Supplies broadcast dual technical standby power		



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

SECURITY

Venue Security

Security Command Centre	-	-	-	170	The central area where Security Operations will handle all venue security throughout the Olympic period, which may include: security inspections, perimeter protection, safety and response, dignitary protection, and emergency management. Enclosed space.	Generally, located in or adjacent to the Venue Operations Centre.	BOH
Venue Security Manager & Asst. Mngr. Space	-	15	1	15	An area for the Venue Security Manager and assistant(s).		
Security Work Area	-	15	1	15	An area for additional security agencies.		
CCTV Surveillance & Video Desk	-	18	1	18	An area for the monitoring and control of the venue closed circuit surveillance cameras.		
CCTV Cameras	-	-	-	-	Closed circuit surveillance cameras. Usually mounted on existing or temporary structures, some may require 6-9m poles.	FOH and BOH; outside and inside venue perimeter. Exact locations dependent on venue layout.	
Radio Dispatch & Monitoring	-	18	1	18	An area for the monitoring and control of security communication and the distribution/return of radios.		
Work Room	-	60	1	60	Open plan of work stations designated for security personnel.		
Secure Storage	-	12	1	12	An area for Security equipment storage. Enclosed, secure space.		
Major Incident Room	-	-	-	-	Meeting area during a crisis management situation. Meeting room area: see Venue Management - Multi Purpose Room.	Located generally in the Venue Operations Centre or within close proximity to Venue Operations Centre or Security Command Centre.	
Briefing and Break Area / Staging Area	-	220	1	220	Area for briefing staff before and after shifts. Enclosed space.		
Observation Positions	-	4	Varies	Varies	Raised platforms or existing spaces for the purpose of monitoring crowds and specific areas of the venue. Located minimum of 2m above observed area. Assumes scaffolding or existing spaces.	Located at various points around the venue.	
Venue Perimeter Exits (Pedestrian)	-				Locations where constituent groups will exit through the secure perimeter of the competition venue to the transport loading areas or vehicle parking areas.		
Accredited Exits	-	1-3 linear mtrs.	Varies	Varies	Located at each security screening area, 1m to 3m width, sometimes used as a secondary service vehicle exit point.	Located at each security screening area for accredited constituents.	
Spectator Exits	-	6 linear mtrs.	Varies	Varies	6m in width, number varies per concourse design.	Located on the outbound direction of spectator transportation systems.	
Workforce (Staff/Volunteer/Contractor/Vendor)	-	Varies	Varies	Varies		Through the check-out portion of the Workforce Centre.	
Vehicle Entrances & Exits	-	-	-	-	Locations where vehicles will enter through the secure perimeter and access various areas of the venue (e.g. resupply/fuel truck, broadcast compound, deliveries). An exit route and point will be required for vehicles departing the venue.	Located at the venue secure perimeter and/or venue screening area for constituents.	
Athlete Area	-	6 linear mtrs.	Varies	Varies	Minimum gate width recommended = 6m.	Located in BOH	
Broadcast Compound	-	6 linear mtrs.	Varies	Varies	Minimum gate width recommended = 6m.	Located throughout venue.	
Emergency-Security, Fire, Medical	-	6 linear mtrs.	Varies	Varies	Minimum gate width recommended = 6m.	Located in BOH	
Operations Load-In/Out	-	6 linear mtrs.	Varies	Varies	Minimum gate width recommended = 6m.	Located in BOH.	
Vehicle Permit Check Point and Queue	-	880	Varies	880	A control area where vehicles entering the exterior perimeter point will be required to display the proper Olympic vehicle permit for access to the venue. Olympic vehicle permit for access to the venue. Surface area paved or gravel with heavy duty load capacity.	Located outside the venue secure perimeter; normally on access roads to the venue.	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

Venue Perimeter Entrances & Security Screening/Search (Pedestrian)	-	-	-	-	Locations where constituent groups will enter through the secure perimeter of the competition venue and access various parts of the venue with an accreditation or a ticket.	Located at the venue secure perimeter.	BOH
	-	-	-	-	Net area each Screening Position will accommodate; 4 Wanding Stations, OR - 1 Magnometer with 2 Search Tables & 2 Wanding Stations, OR - 1 X-ray Device, 1 Magnometer & 2 Search Tables.		
Athlete / Team	-	-	-	N/A	Screening area is covered.		
Technical Officials, Judges & Referees	-	-	-	N/A			
Olympic Family (IOC, NOC, IF)	-	-	-	N/A			
Broadcast	-	-	-	N/A	Screening and search area is covered. Direct access from outside venue perimeter into Broadcast Compound.		
ENG (Electronic News Gathering)	-	-	-	N/A			
Press and Photographer	-	-	-	N/A	Space and facilities sufficient to ensure minimum delays. Entry should be exclusive to Media (Press and Broadcast) preferably leading directly into Press areas.	Located in close proximity if possible to Venue Media Centre.	
Workforce (Staff/Volunteer/Contractor/Vendor)	-	-	-	N/A			
Spectator / Sponsors	-	-	Varies	Varies	Generally, a special access or operations gate for entry is provided to persons with accessible requirements; part of total spectator requirement, 1 position per 10 000 spectators (only bag search/hand wanding station).		
Toilets	-	1,5	Varies	Varies	Toilet units designated for spectators entering the venue.	Located outside the venue perimeter.	
					1 per 2,000 spectators.		
Exception Gate	-	-	-	-	Access gate for designated accredited personnel.	Located adjacent to primary spectator entrance.	
					Spectator exit gate may be used depending on venue layout.		

Event Safety							
Ambulance Staging	-	-	Varies	-	Parking area for ambulance vehicle(s). Area only.	Adjacent to FOP access and Athlete Medical.	

OPERATIONS

Workforce							
Workforce Area	-	-	-	120	An area that serves as the central point where all venue workforce check-in and may exit the venue or check-out if necessary; from this point workforce deploy to their respective functional area; meal privileges/coupons may be distributed at this time.	Located at the venue perimeter where the workforce can access without entering the venue; in close proximity to workforce entrance. It can include a smaller Venue Accreditation Office.	FOH
					Enclosed space.		
Check-In Area	-	-	-	-	Area to log-in venue staff and contractors by day or shift.		
					Check-in desks.		
Workforce Manager Office	-	-	-	-	Office area for Workforce Manager.		
Information Desk, Lost & Found & Work Area	-	-	-	-	An area where venue information is available to workforce and also serves as non-designated work positions.		
Distribution Desk	-	-	-	-	Area for distribution of goods (e.g. sunscreen, daily venue news letter) to workforce.		
Toilets		Varies	Varies	Varies	Male and female toilets for Workforce in back of house areas.	May be required in multiple locations depending on size and configuration of venue.	
Workforce Operations Office		65	1	65	Work area for workforce operations staff.		
Workforce Break & Dining Area	-	500	Varies	500	The space where workforce meals are served and where workforce can break during their shift.	A location that will provide easy access to all workforce for breaks and meals; will vary according to venue layout/size.	

Language Translation							
Work Area / Desk	-	-	-	20	Area where Language Service is provided to athletes, Olympic Family / Vips and, generally, to accredited media. Includes a desk for a translator(s) and waiting/staging area for interpreters.	May be integrated into Venue Operations Centre.	BOH



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	--	------------------	----------------------------------	------------------------	----------	----------

Look of the Games

Work Area and Secure Storage	-	-	-	-	An area in which to prepare and coordinate installation of all venue Look items. See Venue Development.		BOH
Protocol Flags	-	-	-	-	An area where protocol flags are hung or suspended. 9m high poles with 3m spacing.	Generally located close or adjacent to FOP within view of seating areas and next/near venue entry.	
National Olympic Committee (NOC) Flags	-	Varies	-	-	An area where NOC flags are hung or suspended. Height of flagpoles varies according to flag sizes (ratio: length of the flag should be at least 25% the height of the pole). 9m high poles with 2m spacing. Number of flags varies by number of participating nations, teams, individuals, competition schedule (multiple events), and competition format.	Generally located close or adjacent to FOP within view of seating areas.	
Look Elements	-	-	-	-	Look items that are placed in the venue. Elements include banners, flags, sprt banners, seating structure screening, gateway portals and fence fabric.	Generally in Front of House and back of locations that are visible by spectators.	
FOP	-	-	-	-	Look items for the FOP. Signs or corals with logos of selected sponsors as approved by the OCOG. Elements include FOP surrounds, FOP marker/distance banners and Start/Finish portals.	FOP.	
Sponsor Recognition Elements	-	Varies	Varies	Varies	Look items specifically for sponsor recognition. Located in Spectator Transportation Zone(s), Spectator Entry(s) and concourse areas.	Located in the Front of House (FOH).	
Backdrop - Press Conference Room	-	2.2 x 6	-	-	Look item for Press Conference behind the dais. Fixed on stand or against wall behind top table in press conference room.	Located in Press conference room.	

Venue Operation

Venue Operations Centre (VOC)	-	-	-	90	An area for the operations of the venue team during the Games time period; key functional work areas may also be located within the VOC, along with venue team meeting/briefing areas.	Located in the Back of House area, generally in a central location with convenient access to all operational areas.	BOH
Venue Manager and Asst. Manager Work Space	-	15	2	30	An area for Manager and Assistant(s) Manager.		
Assigned Desks	-	24	1	24	Open plan work stations designated for Functional Area personnel.		
Hot Desks	-	12	1	12	Shared work stations.		
Work Space and Storage	-	24	1	24	Non-designated work positions.		
Venue Communication Centre (VCC)	-	-	-	50	Serves as the hub for all operational communication in support of the venue team; coordinates all venue radio communications. Enclosed space.	Generally, adjacent to the Venue Operations Centre and Security Command Centre; may be under a single roof within the Venue Operations Centre.	
Venue Communication Manager	-	4	1	4	An area for the VCC Manager.		
Mail & Fax Desk	-	4	1	4	Area for receiving, logging and sorting incoming and outgoing mail & facsimile.		
Communication Operators (VCC Operators)	-	30	1	30	Area for assigned radio talk group operators/monitors and telephone communication line operators.		
Storage	-	12	1	12	Equipment storage area.		
Technology Help Desk	-	20	1	20	Help desk supporting all services and deliverables of OCOG Technology, including rate card devices and services. Staff accept calls for technology issues/problems, assign the issue a "ticket" within issues management system/database and advise appropriate personnel on venue to attend to issue. All issues tracked through to resolution. Medium Security - lockable room, or within securable VTO. Standard office environment with workspace & FF&E to support multiple workstations, phone support staff & manager.	Adjacent to or within Venue Technology Operations.	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
Venue Technology Operations (VTO)	-	30	1	30	OCOG Technology Operations area. Operational work space for entire Venue Technology team, including Partners & contractors. Medium security - locable room. Air - conditioned as office environment, adequate FF&E to support Technology operational staff & shared administrative facilities such as PC Workstations, Help Desk Workstation(s), Copy/Fax/print, CATV, Lockable cabinets/cupboard & white marker board.	Adjacent to or within Venue Operations Centre (VOC).	BOH
OCOG Venue Technology Work Area	-	-	1	-	Work space for Venue Technology Manager, Assistant Venue Technology Manager, Technology Staffing Manager and associated volunteer(s).		
AV Contractor Work Area	-	-	1	-	Work space for AV contractors/Technicians.		
IT Provider Work Area	-	-	1	-	Work space for IT staff and "home base" for IT volunteers.		
Reprographic Provider Work Area	-	-	1	-	Work space for reprographic contractors/technicians		
Mobile Phone Provider Work Area	-	-	1	-	Workspace for mobile phone provider.		
Wired Communications Provider Work Area	-	-	1	-	Work space for Wired Communications contractors/technicians.		
Timing and Scoring/OVR Provider Work Area	-	-	1	-	Work space for OVR/Timing and Scoring contractors/technicians.		
Radio Distribution Room (RDR)	-	15	1	15	Room for storage, distribution and charging of assigned radio units for venue workforce.	Preferable to be near or adjacent to Workforce Check-in area, or area that is easily accessible to all venue workforce (staff, volunteers & contractors).	
Multi-purpose Room (MPR)	-	220	1	220	Serves as a space which can be shared by all Functional Areas at the venue for meetings and other related needs. Enclosed space.	Located in the Venue Operations Centre.	

Accreditation							
Venue Accreditation Help Office (VAHO)	-	-	-	50			BOH
Day Pass Issue & Problem Resolution Desk	-	15	1	15	Area where accreditation personnel maintain the integrity of the accreditation pass operating system while accommodating the needs of accredited persons at the venue, such as pass activation and temporary access solutions (e.g. day pass) into the venue or into zones within the venue.	Adjacent to the venue perimeter where constituents can access without entering the venue; in close proximity to Workforce entrance and Workforce check-in area.	
Work Area	-	15	1	15			
Manager Desk or Office & Storage	-	12	1	12			
Waiting Area	-	8	1	8	See Sport Operations - Call Room. Enclosed space.		
Toilets	-	1,5	2	3	Toilet units designated for constituent groups entering the venue and accreditation workforce.		

Catering							
Catering Compound	-	-	-	900	A service area where the catering contractor operates at the venue; consisting of site sheds, portable cabins, refrigeration trucks or storage units, dry storage areas and temporary kitchens/food preparation areas. Area only. Surface area paved or gravel with heavy duty load capacity. Gross area does not include service vehicle access requirements.	Located in the Back of House area with easy access for deliveries; sometimes co-located with Logistics and Cleaning and Waste as one compound area.	BOH
Work Areas - Catering Management	-	-	-	Incl. Above	Operational work space(s). Enclosed space. See Venue management - VOC.		
Organising Committee Catering Manager	-	-	-	Incl. Above		Located in Venue Operations Centre.	
Catering Contractor	-	-	-	Incl. Above			
Beverage Contractor	-	-	-	Incl. Above			
Dry, Cold and Ice Storage	-	-	-	Incl. Above	Storage for food and beverage items. Enclosed space.		
Vehicle Staging	-	-	-	Incl. Above	Parking area for product distribution vehicles which generally remain inside the venue. Area only.		
Resupply Bay	-	-	-	Incl. Above	Loading and unloading parking space for vehicles from outside the venue. Area only.		
Kitchen and Preparation Area	-	-	-	Incl. Above	An area where food handling and preparation occurs. Enclosed space.		
Uncovered Storage	-	-	-	Incl. Above	Outdoor storage of material and products. Area only.		
Toilets	-	-	-	Incl. Above	Toilet units designated for catering personnel.		
Hand Wash Station	-	-	-	Incl. Above	Chemical unit used in conjunction with chemical toilets, and in the absence of potable water.		



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

Cleaning and Waste

Cleaning & Waste Compound	-	-	-	400	<p>A service area where the Cleaning and Waste contractor operates at the venue and performs the cleaning, removal and disposal of waste. Consisting of site shed, waste containers, storage area, and recycling/waste sorting area.</p> <p>Area only. Surface area paved or gravel with heavy duty load capacity. Gross area does not include service vehicle access requirements; sometimes a remote location will be considered for certain waste functions (e.g. sorting)</p>	Located in the Back of House area with easy access to all areas of the venue; sometimes co-located with Logistics and Catering as one compound area.	BOH
Vehicle Staging	-	90	1	90	<p>Parking area for collection vehicles which generally remain inside the venue.</p> <p>Area only.</p>		
Sorting Area	-	90	1	90	<p>Area for sorting waste.</p> <p>Area only.</p>		
Waste & Recycle Containers	-	15	6	90	<p>Area in front of waste and recycle bins where material is separated for containment.</p> <p>Area for containers.</p>		
Compactor Unit	-	30	2	60	Used in place of container units in areas which can not be serviced frequently.		
Equipment Supply & Storage	-	15	3	45	<p>Space for cleaning equipment and paper product.</p> <p>Enclosed space.</p>		
Contractor Office	-	25	1	25	<p>Space for management and workforce staging.</p> <p>Enclosed space.</p>		

Logistics

Logistics Compound	-	-	-	700	<p>A service area where Logistics will operate at the venue, including management of furniture/equipment, asset tracking, storage, scheduling and receiving all deliveries to the venue and general handling of all equipment movements within the venue on behalf of all Functional Areas.</p> <p>Area only. Surface area paved or gravel with heavy duty load capacity. Gross area does not include service vehicle access requirements.</p>	Located in the Back of House (BOH) area with easy access for deliveries; generally may be located with Catering and Cleaning & Waste as one compound area at the venue.	BOH
Logistics Centre	-	75	1	75	Enclosed space.		
Logistics Manager & Assistant Manager(s) Work Space / Desk	-	12	1	12	Space for logistics management.		
Team Staging/Work Area	-	40	1	40	Space for staging and a work area.		
Secure Storage & Equipment Sign-out	-	20	1	20	<p>Area for storage.</p> <p>Storage for tools.</p>		
Warehouse Storage	-	135	1	135	<p>Storage area for furniture, fixtures, and equipment (FF&E).</p> <p>Enclosed space.</p>		
Storage Yard	-	115	1	115	<p>Outside storage area within compound.</p> <p>Area only.</p>		
Vehicle Staging	-	155	1	155	<p>Area for vehicle movement and turnaround.</p> <p>Area only; may require cover dependant on climatic conditions.</p>		
Fuel Tank(s)	-	9	5	45	<p>An area where containers are installed for the refueling of vehicles.</p> <p>Area only; may require cover dependant on climatic conditions.</p>		
Waste Bin	-	15	2	30	<p>Large bins for waste storage.</p> <p>May be 8 or 30 cubic meter unit.</p>		
Recycle Bin	-	15	2	30	<p>Large bins for recyclables storage.</p> <p>May be 8 or 30 cubic meter unit.</p>		
Toilets	-	2,5	2	5	Toilet units designated for logistics personnel.	Located in BOH compound areas.	
X-Ray Area	-	-	-	-	<p>Device for screening of boxes/bags/hard goods coming into the venue.</p> <p>May be added as a component of security screening.</p> <p>Not required when venue in Secure Park.</p>		



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m²)	NUMBER OF SPACES	TOTAL NET AREA (m²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	-------------------------------	------------------	---------------------	------------------------	----------	----------

Technology Storage							
Technology General Storage	-	15	1	15	Area for storage of general technology spares/items such as extra TV units, cables, boxes etc. High Security - lockable. Weatherproof, standard mains power provided.	Location within Logistics Compound, or in close proximity to VTO.	BOH
IT Bulk Storage	-	30	1	30	Storage area for all spare IT equipment & associated High Security - lockable. Weatherproof, standard mains power provided.	Bulk Storage location within Logistics Compound. Preferably near other Technology Bulk Storage locations.	
Timing & Scoring Bulk Store	-	20	1	20	Storage area for large crates & containers used for scoreboards and bulk equipment. Must be accessible to OVR provider at all times. High Security - lockable. Weatherproof. Fork lift/pallet jack access essential.	Bulk Storage location within Logistics Compound. Preferably near other Technology Bulk Storage locations.	
Audio Visual Bulk Store	-	30	1	30	Storage area for large crates & containers used for video boards, PA equipment & TV boxes. Must be accessible to Video/Public address provider at all times. High Security - lockable. Weatherproof. Fork lift/pallet jack access essential.	Bulk Storage location within Logistics Compound. Preferably near other Technology Bulk Storage locations.	
Reprographic Bulk Storage Area	-	15	1	15	Storage area for bulk paper allocated to venue (multiple pallets). High Security - lockable. Weatherproof. Fork lift/pallet jack access essential.	Bulk Storage location within Logistics Compound. Preferably near other Technology Bulk Storage locations.	

Site Management

Site Management Compound	-	-	-	800	A service area where Site Management & Construction will operate at the venue, duties include management and maintaining all site activities (e.g. repairs/modifications to temporary and/or permanent facilities) and ensuring the safety of the venue by performing daily inspections of all areas and facilities.	Located in the Back of House area with easy access to various areas of the venue; generally may be located with Logistics or others as one compound area at the venue.	BOH
Site Management Area	-	75	1	75	Enclosed space.		
Site Manager & Assistant Site Manager(s) Work Area	-	15	1	15	Work and meeting area for the Site Manager and Assistant Site Manager.		
Site Administration Desk & Work Area	-	15	1	15	Space to receive and log requests for maintenance and repair, store and review venue drawings and technical documents, manage keys and locking systems, work area for additional staff.		
Response Team & Vendor Staging	-	30	1	30	On-site permanent and temporary facilities for specialty staff and general labor crew to be on-call.		
Secure Storage - Site Management	-	15	1	15	Area for storage.		
Construction Management Area	-	30	1	30	Meeting space for the facilities construction Enclosed space. Area for office, staging and a secure storage area.		
Sign/Look Staging, Work Space/Secure Storage	-	60	1	60	Area for holding, sorting, repairing of event signs, look materials and tools.		
Material Warehouse/Construction Work Space	-	135	1	135	The storage of bulk and finish construction materials. Area for the performance of various construction tasks, carpentry, painting, and assembly. Enclosed space.		
Vendor Secure Storage	-	100	1	100	Area for containers, usually provided by the various temporary construction sub-contractors. Enclosed space.		
Materials Staging Area	-	70	1	70	Area for the off-loading and loading of bulk construction materials. Area only.		
Exterior Storage Area	-	70	1	70	Outdoor storage of material and products. Area only.		
Vehicle Staging	-	180	1	180	Parking area for specialty and work vehicles which operate inside and the immediate area outside the venue. Area only.		
Toilets	-	2,5	2	5	Toilets units designated or shared with other compound personnel.		



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

TECHNOLOGY

Venue Technology - Non Sport

Main Comms Room							
Sub Comms Room							

Control Area

Control Area		120	1	120	Control area for timing and scoring; scoreboard; sports presentation; video board control		
--------------	--	-----	---	-----	---	--	--

Results Technology

Results Data Entry Position	-				Location(s) for event results and/or statistics data entry during competition. High Security. Full redundant power (mains & generator) with UPS to all results data entry equipment/workstations. Space & FF&E for all data entry personnel & results management staff.	As noted below.	
Field of Play	-	0	0	0	Areas/positions for results and/or statistics on the FOP.	Ideally located with Timing & Scoring Team, Sport Results Team and Officials.	
Back of House		0	0	0	Area back of house where data entry is performed into the OVR/Results System.	Sport Specific, but can be in warm-up or call areas.	
Results Technology Room		90	1	90	Room accommodating Timing & Scoring, OVR and Scoreboards Control.	Located at top of stand with view of FOP. Adjacent to Sports Presentation Room.	
Timing and Scoring Position	-	-	-	-	Location(s) for event timing & scoring personnel & equipment during competition. High Security. Fully redundant power (mains & generator) with UPS to all timing & scoring equipment. Cable access to sport specific scoreboards & OVR room. Space & FF&E for operators and equipment.	Sport Specific. However, all locations must have view to FOP	
SWIMMING - Control Room		10	1	10	Location where automated results from "touch-pads" are collated & sent to OVR.	Control room located at Finish end of pool. To have view of pool, starting blocks & public scoreboard.	
SYNCHRONISED - Field of Play - Judges Positions		9	9	81	Locations for event scoring operations & equipment. Cable Pathway to Technical Table.	Pool side judges positions.	
SYNCHRONISED-FOP-Technical / Referee Table		2	1	2	Positions for event timing & monitoring of scoring. Cable Pathway to OVR Room.	Pool side with Sport Officials/Referees	
On Venue Results (OVR)	-	-	-	30	Location is central compilation point for results operations. Space should be divided into two sections 1) for the OVR Provider 2) IT/Information Diffusion Provider. High Security - lockable. Fully redundant power (mains & generator) with UPS to both Mains and Standby power boards. A/C to meet IT/OVR provider specification. Cable access to FOP/Results, Timing & Scoring Data Entry Locations, Broadcast Compound, scoreboard control, CER/TER rooms. Space & FF&E required for high density of computer workstations, racks for servers and working space for technicians, operators and managers.	Easy access to FOP critical for technical and results staff. View to FOP/Diving Platforms required.	BOH
OVR Provider Work Area	-	18	1	18	Work area within OVR Location for OVR Provider technicians and managers where compilation of data from competition on FOP occurs, print of results for Technical Delegate sign-off occurs and data sent to IT provider for Information Diffusion (IDS) to information systems (INFO/CIS/PRD etc.)provider for Information Diffusion (IDS) to information systems (INFO/CIS/PRD etc).	Ideally adjacent to IT provider work area.	
IT Provider Work Area	-	18	1	18	Work area within OVR Location for IT provider to monitor flow of data from OVR provider system to IDS.	Ideally adjacent to OVR provider work area.	
Scoreboard Control	-	-	-	30	Area for scoreboard control operations. Operations integral with those of Sport Production, data provided from OVR System. Space for both Control and Interface workstations & 2 x operational personnel. High Security. Fully redundant power (mains & generator) with UPS all scoreboard control & interface workstations. A/C to meet OVR provider specification. Cable access to scoreboards, & OVR room. Space & FF&E for control equipment & operators (2) maximum.	Ideally with Sport Production, or with Timing/scoring team. View to FOP & public scoreboards is essential.	
Scoreboard Control	-	2	1	2	Area (Control position) for Public Scoreboard. Position for Scoreboard Operator & workstation control PCs.	Adjacent/co-located with Scoreboard	
Scoreboard Interface	-	2	1	2	Area for interface equipment (PC workstations) linking OVR system & Scoreboard Control workstation linking OVR system & Scoreboard Control	Adjacent/co-located with Scoreboard	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	--	------------------	----------------------------------	------------------------	----------	----------

Results Printing (PRD)	-	70	1	70	<p>Area for hard copy results production & distribution. Location of high intensity work involving many staff preparing results for distribution. Within location are to be areas for results printing, copying, compilation/organisation of reports, runners seating area & position for the Print Distribution Workstation (IDS interface) equipment and operator.</p> <p>High Security - lockable. Fully redundant power (mains & generator) all equipment in room, UPS provided for PRD Workstation only. Increased power specifications (Amps) may be required to support high speed copy devices. A/C to meet IT/OVR provider specification. Space & FF&E required for equipment and operational staff as well as space for 1X pallet of paper to support print/copy operations.</p>	Positions, Sport Information Desk, Doping & Olympic Family for results delivery.	BOH
TV Graphics Interface	-	3	1	3	<p>Area where OVR provider installs and operates Results Interface equipment to provide results data for TV Graphics.</p> <p>High Security - lockable. Fully redundant power (mains & generator) all equipment in room, UPS TV Graphics Workstation & equipment. All environmental specifications to meet Host Broadcast specification. Space for interface equipment and graphics operators & good cable access to OVR room.</p>	Location within Broadcast Graphics Room or Technical Operations Centre (TOC), as specified by Host Broadcast Organisation.	

Information Technology							
Computer Equipment Room (CER)	-	25	1	25	<p>Location for all active IT equipment, including servers for Games Network and Administrative systems.</p> <p>High Security - lockable. Fully redundant power (mains & generator) with UPS to both Mains and Standby power boards. A/C to meet IT power specification. Cable Access to TER Room. Workspace & FF&E for 2 technicians.</p>	Adjacent to LAN Management room & Telecommunications TER Room	BOH
Data Local Area Network (LAN) Management Room & Store	-	30	1	30	<p>LAN monitoring room & associated storage space for spare IT equipment.</p> <p>As CER with adequate FF&E for operational staff & storage.</p>	Adjacent to CER Room.	

Technology Storage							
Reprographic Primary Storage Area	-	12	1	12	<p>Primary storage/technical area in-venue for reprographic provider. Storage for spare parts, additional devices and consumables serving primarily Results Printing Operations.</p> <p>High Security - lockable. Standard office environment with standard power. Workspace & FF&E for one technician.</p>	In venue location adjacent to, or within Results Printing Room.	BOH
Timing and Scoring Workshop	-	30	1	30	<p>In venue storage & workshop for timing equipment, spare parts & small containers/boxes.</p> <p>High Security - lockable. Standard office environment with standard power. Adequate work space & FF&E for two technicians.</p>	Located in a position that is easily	

Technology General Infrastructure							
Cross Connect Frames (CCF)	-	1	Varies	1	<p>Intermediate network distribution location. Usually installed as a temporary cabinet containing racks of active and passive equipment required distribute LAN cabling services to user locations. Permanent installations may be installed as a cupboard or closet. CCFs are to be installed in locations that allow for easy access for service technicians and which allow for easy cable access both from TER room and to user device locations.</p> <p>High Security - lockable and weatherproof. May require fan or dedicated A/C depending on room location and/or configuration. Fully redundant power (mains and generator) to all CCF units/cabinets, rack - mounted UPS required to be installed inside cabinet.</p>	CCFs are to be located in the best possible position for cabling distribution to user device locations areas. May be located centrally in a zone with multiple service locations, or within a dedicated location with a high volume of services, such as a Press Work Room.	BOH



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	--	------------------	----------------------------------	------------------------	----------	----------

Cable Pathways	-	-	Varies	-	<p>Permanent or temporary infrastructure installed to facilitate the running of cabling throughout the venue. Installed as cable trays, conduit, hangers or via other systems depending on specification of cable and distance required. The term cable pathway is also used to describe access pathways (holes) in walls/floors to allow for cabling distribution.</p> <p>High Security. To be installed so that cables cannot be interfered with adhering to regulations regarding segregation of power from data/voice and audio-visual cabling.</p>	Cable pathways should be in areas that are accessible to technicians, either in ceiling areas, under raised floors or running neatly around working areas and between rooms.	BOH
Data Voice	-	-	-	-	Cable pathways to facilitate distribution of data and voice services throughout the venue, including cabling for all Games Network IT devices and telephones.		
Backbone	-	-	-	-	Pathways required to facilitate bulk cabling from TER to CCF locations. Usually cable tray or conduit.		
Horizontal	-	-	-	-	Pathways required to facilitate cabling from CCF to user device locations. Usually conduit, duct, wall hangers or cable ties.		
CATV	-	-	-	-	Cable pathways to facilitate distribution of CATV (coaxial) cabling from TER to amplifiers and TV units.		
Timing & Scoring	-	-	-	-	Cable pathways from scoring devices to OVR room and sport specific scoreboards.		
PA/Audio	-	-	-	-	Cable pathways from Broadcast TOC to audio control location and from audio control position to equipment location (amplifiers) & audio speakers.		
Video	-	-	-	-	Cable pathways from Broadcast TOC to Video Control location and from Video Control location to video board/projection unit.		
Power	-	-	-	-	Cable pathways to facilitate distribution of all power services from venue mains to sub-distribution boards and end user locations.		
	-	-	-	-	Total segregation from all other technology cabling, Secure & weatherproof. Utmost care and safety to be undertaken when dealing with all power cabling.		
Backbone	-	-	-	-	Cable pathways from venue mains & generator boards to sub-distribution boards throughout venue.		
Horizontal	-	-	-	-	Cable pathways from mains & generator sub-distribution boards to user locations throughout venue.		
Scoreboard Infrastructure	-	-	-	-	<p>Infrastructure required to support public scoreboards and sport specific scoreboards as detailed in venue design.</p> <p>Adequate power of scoreboards, cable pathways to/from boards to scoreboard control location. Weatherproofing as specified for boards installed outdoors.</p>	All scoreboards infrastructure affinity is directly subject to requirements for viewing the boards by public, athletes and media on a sport specific basis.	
Footings	-	-	Varies	-	Structural concrete footings to facilitate installation of scoreboard support structure & scoreboard.		
Rigging/Suspension	-	-	Varies	-	Rigging (winches, chain motors, chain/cabling) required to suspend public and sport specific scoreboards from venue ceiling structure.		
Video Board/Projection Infrastructure	-	-	-	-	<p>Infrastructure required to support video boards and/or video projection systems as detailed in venue design.</p> <p>Adequate power, cable pathways to/from boards to video control location. Weatherproofing as specified for boards installed outdoors.</p>	All video board/projection infrastructure affinity is directly subject to requirements for viewing the boards by public, athletes and media on a sport specific basis.	
Footings	-	-	Varies	-	Structural concrete footings to facilitate installation of video board support structure & video board.		
Rigging/Suspension	-	-	Varies	-	Rigging (winches, chain motors, chain/cabling) required to suspend public and video boards and/or video projection systems from venue ceiling structure.		
Audio/PA System Infrastructure	-	-	-	-	<p>Infrastructure required to support audio/PA speakers.</p> <p>Adequate power, cable pathways to/from boards to video control location. Weatherproofing as specified for boards installed</p>	All Audio/PA infrastructure affinity is directly subject to requirements for deployment of systems to support Event Services & Sport Production on a sport specific basis.	
Poles	-	-	Varies	-	<p>Poles to facilitate installation of speakers in outdoor areas such as outdoor competition areas, common domains, venue security screening locations and/or venue entrance/exit locations.</p> <p>Cable pathways to/from audio/PA amplification system and/or control location.</p>		
Rigging/Suspension	-	-	Varies	-	Rigging (winches, chain motors, chain/cabling) required to suspend PA speakers from venue ceiling structure.		
Mobile Phone Infrastructure (antenna)	-	-	Varies	-	<p>Infrastructure required to support installation of additional radio antenna & mobile phone cells within venue, or in surrounding venue "common domain" outdoors.</p> <p>Adequate power at antenna or mobile cell locations. Cable pathways to/from TER room.</p>	As required to maximise reception for venue radio system and/or mobile phone services.	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
--------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

Technology Telecommunication & Audio Visual

Telecomm. Equipment Room (TER) Primary	-	36	1	36	Includes telecommunications equipment (PABX, structured cabling racks for data & voice, patching boards, active hardware (routers, switchers, etc.) and CATV venue head end for the on-Venue CATV distribution. High Security - lockable. Fully redundant power (mains & generator) with UPS to both Mains and Standby power boards. A/C to meet Telecom provider specification. Cable access to all CCF locations & CER. Working space for 2 technicians minimum.	Adjacent to CER room & Telecommunications Operations Room	BOH
Telecomm. Equipment Room (TER) Secondary	-	36-50	Varies	Varies	Additional room required to house infrastructure to house infrastructure to support mobile communications network. As TER.	Adjacent to TER and Telecommunications	
Telecomm. Operations & Store	-	-	-	30	Operational space for Telecommunications technical staff and associated storage for spare parts. As TER with adequate FF&E to support operational staff & storage.	Adjacent to TER. -	
Venue	-	4	1	4	Area within Sport Production, location for audio control & playback equipment and audio operators. High Security. Fully redundant power (mains & generator), water proof, good cable access to control console & playback equipment. Space & FF&E for mixing console (1000W x 800D), playback rack (700Hx600Dx600W) and operators (2) maximum.	Area to be located as specified by Sport Production. Can be on FOP, in stands or in a booth with view to FOP.	
Press Conference	-	4	1	4	Area for audio control equipment (mixing board, amplifier) and operator to support Press Conferences. Medium Security. Fully redundant power standby), air-conditioned, waterproof. Work space & FF&E for operator.	Within Press Conference room (at rear).	
Warm-Up Area	-	0	0	0	PA systems required for Warm-up areas to facilitate announcements to athletes. Space required for amplifier/microphone. Standard/mains power & FF&E.	Within Warm-up area for Athletes.	
Venue Perimeter (Exit/Entry)	-	Varies	Varies	Varies	Venue Perimeter for Event Services' announcements to spectators at entry/exit. Standard/mains power & protection from weather to be provided.	Security screening entrance (mag & bag); venue entry/exit locations.	
Workforce Break/Dining	-	2	Varies	Varies	Area of video control for video board or video projection system. Operations integral with those of Sport Production meetings/training of large numbers of staff. Standard/mains power & FF&E.	Workforce break/dining areas.	
Video Board Control	-	4	1	4	Area of video control for video board or video projection system. Operations integral with those of Sport Production. High Security. Fully redundant power (mains & generator) to control equipment. Weatherproofing if control location is located outdoors. Space & FF&E for both control equipment & operators (2) maximum.	Ideally with Sport Production. View to FOP & video board/projection screen is essential.	
Wired Communications Control	-	2	1	2	Area of wired communications master control station and support technician. System essential to operations of both Sport Production and Results/FOP management. Medium Security. Fully redundant power (mains & standby generator) to control equipment. Weatherproofing in control location is located outdoors. Good cable access to FOP, OVR Room, Sport Production, Broadcast Graphics Room & Results Printing required. Workspace & FF&E for one technician, control equipment, spare parts and containers/boxes for equipment.	Near to or within Sport Production is preferable. Otherwise can be located in VTO or other secure location.	
Temporary PA equipment Room	-	2 min	1	2 min	Temporary location for installation of PA active equipment (amplifiers etc) for venue PA system. High Security. Fully redundant power (mains & standby generator) to equipment. Good cable access to speaker location and PA/Audio Control position required. Equipment installed in racks. Each rack set is 1000H x 600W x 600 D maximum.	In existing PA equipment room, if applicable. May be located under venue seating/tribunes if existing room not available.	

PLANT

Mechanical Plant (Internal)

Heating Plant		140	1	140			BOH
Cooling Plant		150	1	150	This assumes the cooling is supplied locally to the venue and is not done by a central system.		
AHU's - Ancillary Areas		60	4	240	Local units to offices, lounge and warm up areas etc		
Misc DX Units		Varies	Varies	50	Local cooling to provide N+1 to control rooms located around venue		



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA (m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
-----------------------	----------	--	------------------	----------------------------------	------------------------	----------	----------

Electrical Plant (Internal)							
Sports Lighting - Technical	-				See Broadcast for lighting specifications		BOH
House power HV switchroom		25	4	100	1No. Rooms per quadrant		
House power HV transformer room		25	4	100	1No. Rooms per quadrant		
Event Continuation HV switchroom		25	8	200	2No. Rooms per quadrant		
Event continuation HV transformer room		25	8	200	2No. Rooms per quadrant		
LV switchroom		50	4	200	1No. Room per quadrant		
LV switchroom		25	4	100	1No. Room per quadrant		
Life Safety Generator		30	4	120	1No. Per quadrant		

Public Health (Internal)							
Cold Water Storage		120	1	120			BOH
Hot Water Generation		60	1	60			
Sprinklers		120	1	120	Requirements subject to venue Fire Strategy		
Pool Water Make-up		60	1	60			
Rain Water Harvesting					Underground storage tank and day tank required. Requirements to be confirmed		
Sanitary Water (Main storage and pumping)		60	1	60			

Swimming Pool Treatment (Internal)							
Swimming pool treatment and heating (main pool)		975	1	975	To be located at level -3		BOH
Swimming pool treatment and heating (training pool)		975	1	975	To be located at level -3		

General MEP rooms							
MEP plant room - Q1		80	1	80	Excluding shafts and data rooms		BOH
MEP plant room - Q2		80	1	80	Excluding shafts and data rooms		
MEP plant room - Q3		76	1	76	Excluding shafts and data rooms		
MEP plant room - Q4		76	1	76	Excluding shafts and data rooms		

External Compound Electrical Plant							
Power Generators Location	-	As below	As below	As below	Outdoor space for power generators; may require conduit and/or cable ramps under roads, paths, etc. Area where generators are installed to be secure and easily accessible to allow for installation, removal and service. Space should be allowed around generators for technicians, re-fuelling.	As noted below.	BOH
	Venue Power Supplies	-	As below	As below	As below	Generators & switchgear supporting critical venue operations including all primary technology spaces, results timing and scoring services, venue audio and video services.	
House power HV switchroom		50	1	50	Supplies venue house power		
Event Continuation power containerised generator		75	1	75	Supplies venue event continuation power		
Event continuation generator fuel tank		9	1	9	Supplies venue event continuation power. Based on cylindrical tank. 10000L		
Event continuation HV switchroom		40	1	40	Supplies venue event continuation power		
Power Bulk Store	-	15	1	15	Storage area for bulk electrical items, such as cable reels & spare distribution boards. High Security - lockable. Weatherproof. Fork lift/pallet jack access essential.	Bulk Storage location within Logistics Compound. Preferably near other Technology Bulk Storage locations.	
	Power Workshop & Store	-	9	1	9	In venue storage area for spare electrical equipment & consumables workshop for electrical technicians. High security lockable. Standard office environment with general power. Workspace & FF&E for two technicians.	



ROOM AREA SCHEDULE FOR OLYMPIC GAMES AND WORLD CHAMPIONSHIPS

SPACE or SUB-SPACE	CAPACITY	DIMENSION (m) or NET AREA(m ²)	NUMBER OF SPACES	TOTAL NET AREA (m ²)	FUNCTIONAL DESCRIPTION	AFFINITY	LOCATION
-----------------------	----------	---	------------------	----------------------------------	------------------------	----------	----------

TRANSPORT

Transport							
Load Zones	-	60	5	300	An area where constituent will arrive to and depart from the venue by the constituent and/or Olympic transport system. Surface areas paved or gravel with heavy duty load capacity.	Adjacent to the secure perimeter and in close proximity to venue entry points.	
Athlete Shuttle - Bus	-	175	1	-	Includes pedestrian queue & staging area for equipment.		
Team Vehicle - Van	-	-	1	-	Includes pedestrian queue & staging area for equipment.		
IOC, NOC, IF (Olympic Family) - Vehicle	-	-	1	-	Includes pedestrian queue.		
ENG (Electronic News Gathering) - Uplink Van	-	-	1	0	Includes pedestrian queue & staging area for equipment.		
Media Shuttle - Bus	-	-	1	-	Includes pedestrian queue & staging area for equipment.		
Officials	-	-	1	-	Includes pedestrian queue.	Should be located in close proximity to dedicated entry areas. Could be within secure perimeter.	
Press Film Courier - Motorcycle or Vehicle	-	-	1	-	Pick-up location at the venue for the Olympic film courier.		
					Located in close proximity to Venue Media Centre.		
Spectator and Staff Shuttle - Bus	-	-	1	-	Includes pedestrian queue.		
Sponsor Shuttle - Bus	-	-	1	-	Includes pedestrian queue.		
Accessible	-	-	-	-			
Transport Area	-	50	1	50	An area where the venue Transport Manager will oversee the venue transport operations. Enclosed space. Space includes: Transport Manager desk, crew staging & break, secure storage.	Generally located outside the secure	
Driver Staging	-	150	1	150	A break free area for drivers that may be required to wait for passengers or be on-call for various transport assignments. Covered area.	Located outside secure perimeter.	
Toilets	-	1,5	2	3	Toilet units designated for transport personnel.		
					Located outside venue secure perimeter.		
Storage Yard	-	-	-	30	Holding area for various venue transport equipment (e.g. cones, barricades, signs). Fenced or barricaded area.	May be located within the logistics compound area.	
Parking Areas	-	20	100	2000	Designated parking areas at the venue for key accredited constituents. Surface areas paved or gravel.	Located adjacent to secure perimeter, generally inside the secure perimeter and/or secure parking areas.	
Olympic Family (IOC, NOC, IF)	-	-	-	-	Area only for parking.	Drop-off point located in close proximity to accredited entry.	
Broadcast	-	-	-	-	Generally, broadcast operations requires vehicle parking at the venue.		
ENG (Electronic News Gathering)	-	-	-	-	Area only for parking.	ENG drop-off located in close proximity to the Broadcast compound.	
Press & Photographer	-	-	-	-	Generally, media operations requires vehicle parking at the venue (including rate card).		
Security	-	-	-	-		Allocated an operational amount for inside the venue perimeter.	
Emergency Services	-	-	-	-		Generally located inside the Secure Venue Perimeter.	